

श्री सुचिकृत फर्महरू

बिषयः- दर रेट पेश गर्ने सम्बन्धमा |

प्रस्तुत बिषयमा मापदण्ड अनुसारको स्यानिटरी पैड खरिदको लागि लागत अनुमानको लागि यस कविलासी नगरपालिकामा सुचिकृत फर्महरूले आ-आफनो दर रेट ३ (तिन) दिन भित्र पेश गर्न आव्हान गरिन्छ | साथै मापदण्ड यसै पत्र साथ संलग्न राखिएको छ |

श्याम किशोर राय बिप्रमुख प्रशासकीय अधिकृत



अनुसूची-१

(दफा ३ को उपदफा (४) सँग सम्बन्धित)

सेनिटरी प्याडको न्यूनतम मापदण्ड

| 1. | Type and physical finishing: Regular with wing, napkin with uniform thickness throughout without any wrinkles and distortion. The sanitary napkins shall have a soft feel and when worn shall not chafe or give any uncomfortable feeling. They shall be free from all sorts of foreign matter. |
|----|--|
| 2. | Raw Material permitted: |
| | a . Absorbent filter: plant-based raw materials such as wood pulp, cellulose pulp, bamboo fiber, banana fiber and corn which have natural sterilization effects, tissue paper, pure cotton, shall be free from lumps, oil spots, dirt or foreign material. |
| | b. Covering: The covering of the absorbent filter shall be of a good quality cotton or rayon knitted sleeving, gauze or non-woven fabric with sufficient porosity to permit the assembled pad to meet absorbency requirements. |
| 3 | Size: size including minimum -240 \pm 20 mm length and 60 to 75 mm width, thickness 15mm \pm 2 mm). |
| 4. | Absorbency: the sanitary pad shall absorb at least 30 ml of colored distilled water and it shall not show leakage at the bottom or sides of the sanitary napkin . |
| 5. | Disposability: disposable pad with the covering removed, shall be immersed in 15 liters of water and stirred . The pad shall disintegrate in the water in not more than 5 minutes . |
| 6. | Colour: The product shall be white in colour and shall be almost odourless . |

श्र्योम किशीर रास त्रव्याह जीवागाय हाव्यत



| 7. | PH value: free from acid and alkali, pH of absorbent material shall be 6-8 .5 -tested as per the method given in Indian Standard 1390) |
|-----|--|
| 8. | Hygiene testing requirement: Total viable count -total number of bacteria and fungi) shall be not more than 1000 cfu/gm and absence of Staphylococcus aureus. The napkin shall be tested for the presence of staphylococcus aureus in accordance with IS 5887 -Part 2). |
| 9. | The manufacturer shall declare that all ingredients used in the product are safe for human use based on its known toxicological characteristics at intended use . |
| 10. | Packaging type: at least 90% Compostable pack, protecting package to product |
| 11. | Packaging size: minimum 8 pads per pack |
| 12. | Biodegradability or Composability requirements: At least 90% degrade within 6 months (testing is performed and conformed from recognized and approved laboratory) |

2 ELLAL 120 XILL 310000



in the second



अनुसूची-२

(दफा २० को उपदफा (२) सँग सम्बन्धित)

रथानीयस्तरमा उत्पादित सेनिटरी प्याडको न्यूनतम मापदण्ड

- प्याडमा प्रयोग हुने कपडा सेतो रङको सुती वा मलमलको हुनु पर्नेछ र कपडाको लम्वाई कम्तीमा दुई हात र चौडाई आधा हात हुनु पर्नेछ ।
- प्याडको गुणस्तर सुनिश्चितताका लागि पन्चानब्बे प्रतिशत सूती कपडा प्रयोग गरिएको हुनु पर्नेछ ।
 - ३. कपडा अड्काउन प्रयोग हुने खोल (वीङ्ग), प्रयोग हुने कपडा कम रंग (डाइ) प्रयोग भएको र सोसिने किसिमको कपडा हुनु पर्नेछ ।
- ४. वीङ्गको बनावट पींधबाट नचुहिने (बटम साइड लीक प्रुफ) गरी तयार गर्नु पर्नेछ ।
- प. वीङ्गमा प्रयोग हुने टाँक वा अन्य सामग्री र बनावट प्रयोगकर्तालाई सहज हुने किसिमको हुनु पर्नेछ ।